




CATALOGUE & PRICELIST



FOR YEAR
2025-2026



About Us

Arya Scientific Instruments Pvt. Ltd., based in **Ambala Cantt, Haryana**, is a trusted name in the field of **laboratory glassware and scientific instruments**. With years of experience and dedication to quality, we are committed to providing reliable, accurate, and durable products that meet the needs of scientific research, education, and industry.

At **Arya Scientific**, we specialize in manufacturing and supplying a wide range of laboratory glassware including **beakers, flasks, burettes, condensers, funnels, and more**. Each product is crafted with precision, adhering to national and international quality standards, ensuring optimal performance and safety.

Our facility in **Ambala**, a renowned hub for scientific equipment, allows us to blend traditional craftsmanship with modern manufacturing techniques. Backed by a skilled team, strict quality control, and customer-first approach, we have built long-standing relationships with institutions, laboratories, and research centers across India and beyond.

We believe that **science deserves the best tools**—and we are here to deliver them with integrity, innovation, and excellence.

CLAMPS



Burette Clamp

Fisher Type die pressed sheet made of mild steel & powder coated, to hold one burette.

Cat. No.	Type
ARYA 101	Mild Steel, Powder Coated
ARYA 101-A	Mil Steel, Chrome Plated



Burette Clamp

Fisher Type die pressed sheet to hold one burette.

Cat. No.	Type
ARYA 102	Mild Steel, Powder Coated



Double Burette Clamp

Aluminium pressure die casting

Cat. No.	Type
ARYA 102-A	Aluminium, Powder Coated, Holds 2 Burette
ARYA 102-B	Aluminium, Powder Coated, Holds 1 Burette



Double Burette Clamp

Die pressed


Cat. No.	Type
ARYA 102-C	Mild Steel, Powder Coated
ARYA 102-D	Mil Steel, Chrome Plated



Universal Clamp

to hold upto 12mm to 50mm with 7" m.s., chrome plated rod


Cat. No.	Type
ARYA 105	Sheet made die pressed, spring controled, locked by screw nut, cork lined jaws, powder coated



Burette Clamp

Capacity hold upto 50mm dia with 7" rod cork lined.

Cat. No.	Type
ARYA 103	Brass casting, Chrome Plated, Heavy Duty
ARYA 103-A	Al-alloy die casting, Mild Steel Rod Chrome Plated




Burette Clamp
with attached boss head,
movement in any angle.

Cat. No.	Type
ARYA 106	Swivel type, Sheet Made, die Pressed, Powder Coated, hold upto 50mm dia




Three Prong Clamp
with attached boss head, movement in
any angle.

Cat. No.	Type
ARYA 107	Aluminium made, Jaws dip coated swivel hold upto 90mm dia




Condenser Clamp
Cork lined, finish powder coated.

Cat. No.	Type
ARYA 108	Made of al-alloy die casting, hold upto 75mm dia, Chrome Plated 7" rod,
ARYA 108-A	Made of Brass casting, powder coated, hold upto 75mm dia, Chrome Plated 7" rod,



Universal Clamp
Cork lined, finish powder coated.

Cat. No.	Type
ARYA 109	Made of al-alloy die casting, hold upto 75mm dia, with M.S. Chrome Plated 7" rod,



Four Finger Clamp (Cross Pattern)
Cork lined, finish powder coated.


Cat. No.	Type
ARYA 110	Made of al-alloy die casting, hold upto 90mm dia, with M.S. Chrome Plated 7" rod,



Three Prong Clamp
jaws are dip coated

Cat. No.	Type
ARYA 113	al-alloy die casting, powder coated holds upto 90mm dia with 7" M.S. chrome pated rod

All Clamps are available in 9" and 12" rod also as per requirement.





Three Prong Aluminium Clamp
jaws are rubber tube covered

Cat. No.	Type
ARYA 114	al-alloy die casting, powder coated holds upto 90mm dia with 7" M.S. chrome pated rod
ARYA 114-A	Same as above in Iron Screw


Three Prong Brass Clamp
prongs are covered with rubber tube

Cat. No.	Specification
ARYA 115	Heavy Duty, Superior Quality, Brass made, Chrome Plated, prongs covered with rubber tube, hold upto 90mm dia. 8" Rod made of mild steel, Brass Finish.
ARYA 115-A	Regular Quality, Chrome Plated, prongs covered with rubber tube, hold upto 90mm dia. 8" Rod made of mild steel, Brass Finish.
ARYA 115-B	Boss Head Cast Iron, hold upto 18mm. with brass thumb screw.



Four Finger Clamp (Cross Pattern)
PVC dip coated, with thumb screw

Cat. No.	Type
ARYA 111	Made of brass die casting, chrome plated, hold upto 90mm dia, with M.S. Chrome Plated 7" rod,
ARYA 111-A	Heavy quality, Made of brass die casting, chrome plated, hold upto 90mm dia, with Quality 9" Rod with dia 10mm
ARYA 115-B	Boss Head Cast Iron, hold upto 18mm. with brass thumb screw.



Condenser Clamp
PVC dip coated, with thumb screw

Cat. No.	Type
ARYA 112	Made of brass die casting, hold upto 75mm dia, with M.S. Chrome Plated 9" rod,
ARYA 115-B	Boss Head Cast Iron, hold upto 18mm. with brass thumb screw.

All Clamps are available in 9" and 12" rod also as per requirement.



Condenser Clamp

with with chrome plated mild steel rod

Cat. No.	Type
ARYA 118	aluminium casting Three finger jaws, adjustable by two independent screw, rod 12" × 3/8,
ARYA 118-A	Moulded brass Three finger jaws, adjustable by two independent screw, rod 12" × 3/8,



Jumbo Clamp (Three prong)

Made of Brass casting jaws are rubber sleeves,

Cat. No.	Specification
ARYA 119	Chrome Finish Rod dia 12" × 3/8, Hold upto from 150mm dia articles



Jumbo Clamp (Four/Three prong)

Made of Al-alloy jaws are rubber sleeves,

Cat. No.	Specification
ARYA 116	Three Prong clamp can hold upto 150mm dia articles. M.S. Rod, Chrome plated RSWze 12"×3/8
ARYA 116-A	Two Prong clamp can hold upto 150mm dia articles. M.S. Rod, Chrome plated size 12"×3/8




Clamp Co-Axial (Three prong)

Made of Al-alloy/Brass jaws are rubber sleeves,

Cat. No.	Specification
ARYA 117	Al- alloy jaws, Spring Controlled adjustable brass nut, hold upto 75mmdia, rod length 12" chrome plated
ARYA 117-A	Brass moulding jaws, Spring Controlled adjustable brass nut, hold upto 75mmdia, rod length 12" chrome plated

All Clamps are available in 9" and 12" rod also as per requirement.



BOSS HEAD



Boss Head

Made of Al-alloy die casting

Cat. No.	Type
ARYA 151	Mild steel with moulded Poly propylene thumb screw, holds upto 16 mm dia, powder coated finish.
ARYA 151-A	Mild steel with die pressed one piece thumb screw, holds upto 16 mm dia, powder coated finish.



Boss Head

Cat. No.	Type	Price
ARYA 152	Die Pressed Sheet made powder coated can hold upto 16mm dia.	48.00



Boss Head

Brass Casting, Superior Quality

Cat. No.	Type
ARYA 152	Can hold upto 18mm dia. Chrome Plated
ARYA 152-A	Can hold upto 13mm dia. Chrome Plated




Boss Head

Cast Iron Make, Powder Coated

Cat. No.	Type
ARYA 153	T-type screw, can hold upto 13mm dia
ARYA 153-A	T-type screw, can hold upto 18mm dia
ARYA 153-B	T-type screw, can hold upto 25mm dia

* with Thumb Screw also available



Boss Head (Square)

Made of Aluminum die casting

Cat. No.	Type
ARYA 154	T-type screw, Powder Coated. Hold upto 13mm dia.

* with Thumb Screw also available



Boss Head

Aluminum Casting Make, Powder Coated

Cat. No.	Type
ARYA 155	T-type screw, can hold upto 16mm dia

TRIPOD STAND

Tripod Stand: Cast iron/Sheet Made Having black powder coated triangular top, zinc plated legs and plastic rubber feet.

Cast Iron

Cat. No.	Size (inches)
ARYA 171	6×4
ARYA 171/1	6×5
ARYA 171/2	7×4
ARYA 171/3	7×5
ARYA 171/4	7×6
ARYA 171/5	8×4
ARYA 171/6	8×5
ARYA 171/7	8×6

Sheet Made, fully Powder Coated

Cat. No.	Size (inches)
ARYA 171-A	6×4
ARYA 171-A/1	6×5
ARYA 171-A/2	7×4
ARYA 171-A/3	7×5
ARYA 171-A/4	7×6
ARYA 171-A/5	8×4
ARYA 171-A/6	8×5
ARYA 171-A/7	8×6



Cast Iron



Sheet Made

RS 172 Tripod Stand: Heavy Cast iron round top black powder coated zinc plated rod and plastic feet.


Cat. No.	Size (Inches)
ARYA 172	6×4
ARYA 172/1	6×5
ARYA 172/2	7×4
ARYA 172/3	7×5
ARYA 172/4	8×4
ARYA 172/5	8×5
ARYA 172/6	8×6



RETORT STAND

Retort Stand Heavy Sheet Full Bending Base: Sheet thickness 4mm., Bottom edges covered with rubber sleeves, chrome plated rod.

Cat. No.	Size (Milimeter)
ARYA 180	150×100×450×12
ARYA 180/1	200×125×12
ARYA 180/2	250×150×750×12



Retort Stand: Made of cast iron powder coated base mild steel rod chrome plated

Cat. No.	Base Size (Milimeter)
ARYA 181	6×18×3/8
ARYA 181/1	7×5×24×3/8
ARYA 181/2	8×5×24×12mm
ARYA 181/3	8×5×24×12mm (1300 gms)
ARYA 181/4	9×6×30×12mm
ARYA 181/5	10×6×30×12mm
ARYA 181/6	12×7×36×12mm
ARYA 181/7	12×8×36×12mm




Retort Stand 202 grade: Stainless Steel Base, Bending type, Polish Finished, rust proof base, stainless steel rod.

Cat. No.	Base Size (Milimeter)
ARYA 182	8×5×24×12mm
ARYA 182/1	9×6×30×12mm



Retort Stand: Made of mild steel with leveling screw and unbreakable nylon feet powder coated, mild steel rod chrome plated packed in corrugated box.

Cat. No.	Base Size (Milimeter)
ARYA 183	6×4×18×3/8
ARYA 183/1	7×5×24×3/8
ARYA 183/2	8×5×24×3/8
ARYA 183/3	8×5×24×12
ARYA 183/4	9×6×30×12



Retort Stand Bend Type: Made of mild steel with powder coated heavy base, mild steel rod chrome plated packed in printed box.

RS 126-A Retort Stand Bend Type: Same as above in light base

Cat. No.	Base Size (Milimeter)
ARYA 184	6×4×18×3/8
ARYA 184/1	7×5×24×3/8
ARYA 184/2	8×5×24×3/8
ARYA 184/3	8×5×24×12
ARYA 184/4	9×6×30×12
ARYA 184/5	10×6×30×12
ARYA 184/6	12×7×30×12



Retort Ring: Made of stainless steel, 202 grade wire polish finish, attached aluminium boss head "Thumb" type chrome plated screw.

Cat. No.	Size Inches
ARYA 185	2
ARYA 185/1	2½
ARYA 185/2	3
ARYA 185/3	4
ARYA 185/4	5



RS 129 Retort Ring: Made of mild steel rod powder coated "T" type chrome plated screw.

Cat. No.	Size Inches
ARYA 185	2
ARYA 185/1	2½
ARYA 185/2	3
ARYA 185/3	4
ARYA 185/4	5
ARYA 185/5	6



BURNERS

Bunsen Burner:

Cat. No.	Specification
ARYA 201	Nickel plated burner tube 115 x 13 mm, with rotatable air regulator, mounted on a powder coated, heavy die cast base of 80mm dia, overall height approx 140mm



Bunsen Burner: Low Pressure regulator

Cat. No.	Specification
ARYA 202	Heavy cast iron powder coated base brass tube, dia 12mm. With spare jet. without Stop Cock
ARYA 202-A	Heavy cast iron powder coated base brass tube, dia 12mm. With spare jet. with Stop Cock
ARYA 202-B	Heavy cast iron powder coated base S.S. tube, dia 12mm. With spare jet. with Stop Cock
ARYA 202-C	Heavy sheet base iron, powder coated base M.S. tube, dia 12mm. With spare jet. with Stop Cock



Bunsen Burner: High Pressure regulator

Cat. No.	Specification
ARYA 202/H	Heavy cast iron powder coated base brass tube, dia 18mm. With spare jet. with Stop Cock for high pressure.



Bunsen Burner:

Cat. No.	Specification
ARYA 203	Heavy cast iron powder coated base with stop cock, Double Walled Brass Pipe with spare jet.



Bunsen Burner with flame spreader:

Cat. No.	Specification
ARYA 204	Flame Spreader made of Brass chrome plated Needle Valve type, Heavy sheet metal base and brass chrome plated pipe.



Macker Burner

Cat. No.	Specification
ARYA 205	Made of brass pipe C.P. Heavy cast iron base, powder coated, height 180 mm approx top dia 25mm with stop cock.
ARYA 205-A	Made of brass pipe C.P. Heavy cast iron base, powder coated, height 180 mm approx top dia 25mm without stop cock.



Macker Burner:

Cat. No.	Specification
ARYA 206	Made of brass pipe C.P. Heavy cast iron base, powder coated, height 160 mm approx top dia 18mm with stop cock.
ARYA 206/1	Made of brass pipe C.P. Heavy cast iron base, powder coated, height 160 mm approx top dia 18mm without stop cock.



RS 136 TECLU BURNER:

Cat. No.	Specification
ARYA 207	Made of brass pipe chrome plated, 12mm tube dia. Base made of cast Iron, with stop cock, powder coated



Bunsen Burner Needle Valve:

Cat. No.	Specification
ARYA 208	Base made of cast Iron, powder coated. Needle valve Regulator to adjust flame with 12mm tube dia.



Bunsen Burner:

Cat. No.	Specification
ARYA 209	with sheet made base, riffled Nozzle, Air Regulator, chrome plat finish. works with both LPG Gas or Natural Gas. Without Stop Cock
ARYA 209-A	with sheet made base, riffled Nozzle, Air Regulator, chrome plat finish. works with both LPG Gas or Natural Gas. With Stop Cock



Bunsen Burner Completely Brass Made:

Cat. No.	Specification
ARYA 210	heavy pipe, heavy base, adjustable gas and air inlets. Air vents for air regulation. With flame retainer at top, for natural gas & LPG. Without Stop Cock
ARYA 210-A	heavy pipe, heavy base, adjustable gas and air inlets. Air vents for air regulation. With flame retainer at top, for natural gas & LPG. With Stop Cock



Gas Tap All brass black powder coated goli type Leak proof stop cock. With adopter. (6/8)

Cat. No.	Specification
ARYA 211	One Way
ARYA 211-A	Two Way
ARYA 211-B	Three Way
ARYA 211-C	Four Way



Gas Tap All brass Chrome Plated square type Leak proof stop cock. 1/2" fitting for gas supply.

Cat. No.	Specification
ARYA 212	One Way
ARYA 212-A	Two Way
ARYA 212-B	Three Way
ARYA 212-C	Four Way



Gas Tap All brass black powder coated, heavy Leak proof stop cock with adopter(6/8)

Cat. No.	Specification
CI 213	One Way
CI 213-A	Two Way
CI 213-B	Three Way
CI 213-C	Four Way



Control Valve: Made of brass to control flow of Air/Gas. Can be mounted on wall or fix on table

Cat. No.	Size
ARYA 214	6/8 mm
ARYA 214-A	10/2 mm




Control Valve: Made of brass to joint the copper pipe fitting for gas supply

Cat. No.	Size
ARYA 215	6/8 mm
ARYA 215-A	10/2 mm



Control Valve: Made of brass to joint the copper pipe fitting for gas supply

Cat. No.	Size
ARYA 216	6/8 mm
ARYA 216-A	10/2 mm



Reducer: Made of brass to joint the copper pipe fitting for gas supply

Cat. No.	Size
ARYA 217	6/8 mm
ARYA 217-A	10/2 mm



LABORATORY JACK

Laboratory Jack : Made of Stainless Steel (304 G), smooth up & down movement, stability on high too.

Cat. No.	Size
ARYA 251	120×140
ARYA 251-A	150×150
ARYA 251-B	200×200
ARYA 251-C	250×250
ARYA 251-D	300×300




Laboratory Jack : Made of mild steel, black powder coated. Smooth up & down movement, stability on high too.

Cat. No.	Size
ARYA 252	120×140
ARYA 251-A	150×150
ARYA 251-B	200×200
ARYA 251-C	250×250
ARYA 251-D	300×300




Beaker Tong:

Cat. No.	SPECIFICATION
ARYA 262	Made of thick Stainless Steel 12" long, wrapped with heat resistant yarn.
ARYA 262-A	Made of thick mild steel, chrome plated wire 12" long, wrapped with heat resistant yarn.




FlaskTong:

Cat. No.	SPECIFICATION
ARYA 263	Made of thick Stainless Steel 12" long, wrapped with heat resistant yarn.
ARYA 263-A	Made of thick mild steel, chrome plated wire 12" long, wrapped with heat resistant yarn.





Furnace Tong:

Cat. No.	Size (Inches)	Type
ARYA 264	12	Stainless Steel
ARYA 262-A	12	Mild Steel
ARYA 262-B	15	Stainless Steel
ARYA 262-C	18	Stainless Steel
ARYA 262-D	24	Stainless Steel


Crucible Tong:

Cat. No.	Size (Inches)	Type
ARYA 263	6	Stainless Steel
ARYA 263-A	6	Mild Steel
ARYA 263-B	8	Stainless Steel
ARYA 263-C	8	Mild Steel
ARYA 263-D	8	Stainless Steel Heavy
ARYA 263-E	8	Mild Steel Heavy
ARYA 263-F	10	Stainless Steel
ARYA 263-G	10	Mild Steel



Cork Borer German Type: All Brass chrome plated, made of heavy pipe for making hole of different sizes in cork.

Cat. No.	Model
ARYA 264	Set of Three
ARYA 264-A	Set of ARYAx
ARYA 264-B	Set of Twelve



Cork Borer: made of brass, Chrome plated

Cat. No.	Model	Type
ARYA 265	Set of Three	Brass, Chrome Plated
ARYA 265-A	Set of Three	Iron, Chrome Plated
ARYA 265-B	Set of Six	Brass, Chrome plated
ARYA 265-C	Set of Six	Iron, Chrome Plated
ARYA 265-D	Set of Twelve	Brass, Chrome plated
ARYA 265-E	Set of Twelve	Iron, Chrome Plated



Cork Borer Machine with Borer: A cork borer, often used in a chemistry or biology laboratory, is a metal tool for cutting a hole in a cork or rubber stopper to insert glass tubing. Nickel-plated borers included.

Cat. No.
ARYA 266



Spetulas: Made of Stainless Steel sheet, heavy, one end spoon and one end flat.

Cat. No.	Size (Inches)
ARYA 266	4
ARYA 266-A	5
ARYA 266-B	6
ARYA 266-C	8
ARYA 266-D	10
ARYA 266-E	12



Micro Spatulas : Made of Stainless Steel, Spoon Type, Spl. use for mercury


Cat. No.	Size (Inches)
ARYA 277	4
ARYA 277-A	6
ARYA 277-B	8
ARYA 277-C	10
ARYA 277-D	12

Chattaway Micro Spatulas : Made of Stainless Steel, Spoon Type, Spl. use for mercury

Cat. No.	Size (Inches)
ARYA 278	4
ARYA 278-A	6
ARYA 278-B	8
ARYA 278-C	10
ARYA 278-D	12

HOFFMAN'S Screw Clip: Brass Chrome Plated.

Cat. No.	Size (mm)
ARYA 279	25mm



Pendulum Bob : Set of 6 different Metal, dia 12mm, Iron, Brass, Copper, AL, Zinc, Lead

Cat. No.	Size (mm)
ARYA 280	12mm
ARYA 280-A	18mm
ARYA 280-B	25mm



Pendulum Bob : Spare

Cat. No.	Metal	Size (mm)
ARYA 281-A	Brass	12mm
ARYA 281-B	Iron, Chrome Plated	12mm
ARYA 281-A/1	Brass	18mm
ARYA 281-B/1	Iron, Chrome Plated	18mm
ARYA 281-A/2	Brass	25mm
ARYA 281-B/2	Iron, Chrome Plated	25mm



Cube Set of Six Metal: Iron, Brass Copper, Aluminum, Lead, Zinc.

Cat. No.	Size (mm)
ARYA 282	10mm
ARYA 282-A	20mm
ARYA 282-B	25mm



Ring & Ball: All brass best quality with PVC handle.

Cat. No.	Size (mm)
ARYA 283	Dia 18mm
ARYA 283-A	Dia 25mm



Bar & Gauge : Bar made of Mild steel iron, Chrome plated, Wooden Handle.
Gauge made of Brass, Chrome plated, wooden handle.

Available in : 3" & 4" size.

Gauge also available in aluminium.

Cat. No.	Size
ARYA 284	3 inches
ARYA 284-A	4 inches



Filter Pump : All Brass chrome plated, superior quality

Cat. No.	Metal
ARYA 285	Brass Chrome Plated



Compound Bar Strip :

Available in different sizes and metals with wooden / PVC black handle.

Cat. No.	Size (Inches)
ARYA 286	8
ARYA 286-A	10
ARYA 286-B	12




RS 162 - Spirit Lamp

Cat. No.	Specification
ARYA 287	Stainless Steel
ARYA 287-A	Brass




Bending of beam apparatus :

Cat. No.	Metal
ARYA 288	Consisting of two G. Clamps with knife top. Comprising a metal powdered coated bar of 100cm length having width 25mm and thickness 4.5mm. A spherometer fitted on a cast iron stand.



Bifilar Pendulum (Iron):

Cat. No.	Specification
ARYA 289	Consists of a heavy cast iron rectangular plate of dimension 15x10x1.5cm. The plate is suspended by two strings of equal lengths from a rigid support (T shaped Clamp)



Compound Bar Pendulum

Consists of a powder coated steel bar with a no. of equidistant holes intervals of 5cm. complete with wall bracket and two removable knife edges.

Cat. No.	Metal	Size
ARYA 289	Iron, powder coated	100×3.75×0.5 cm.
ARYA 289-A	Brass, chrome plated	100×2.5×0.5 cm






Optical Bench

Cat. No.	Specification
ARYA 293	1mtr. Iron Rod, Half Shaper
ARYA 293-A	1mtr. S,S pipe covered rod, Half Shaper
ARYA 293-B	1.5 mtr. Iron Rod, Half Shaper
ARYA 293-C	1.5 mtr. S,S, pipe covered rod, Half Shaper
ARYA 293-D	1mtr. S,S, pipe covered Rod, full Shaper
ARYA 293-E	1.5 mtr. S.S. covered Rod, full Shaper
ARYA 293-F	1mtr. S.S. Rod, full Shaper
ARYA 293-G	1.5mtr. S.S. Rod, full Shaper 18mm Rod

Poisson Ratio of Rubber Tube Apparatus

Consist of a cycle rubber tube of 1mtr. length with pointer sloted weight hanger, clamp and rubber stopper on a Caste Iron base.

Cat. No.
ARYA 294



RS 177 -Resonance App.: SS / Brass Pipe 1 Mtr. SS / Brass pipe and meter scale fitted on wooden board with metal cup and Cast Iron base.

Cat. No.
ARYA 295



Sono Meter Brass Fitting

resonance box (1140 x100x85 mm), 1mtr. long scale, One brass & steel wire, two movable bridges, pulley and fixed screw.

Cat. No.	Specification
ARYA 296	Brass Fitting
ARYA 296-A	Aluminium Fitting



Torsion Pendulum wirehang from a universal clamp, Solid disc of 12.5 cm dia. 1.25 thickness.

Cat. No.	Specification
ARYA 297	5" Brass Dia
ARYA 297-A	5" Iron Dia



Kater's Pendulum

consist of a rod of 120 cm long 10 cm. dia with two adjustable knife edges. Two metal weight Cast Iron, Two wooden weights


Cat. No.	Metal
ARYA 290	Iron (Powder Coated)
ARYA 290-A	Brass



K. Constant Spring

Consist with spiral spring, one vertical metre scale, on a spring hanging with a weight, fitted on a heavy Cast Iron Base.

Cat. No.	Size (Inches)
ARYA 291	1×30
ARYA 291-A	1×24



Maxwell Vibration Needle: Graduated, All Brass 40 cm. Two solid brass cylinder and two hollow brass cylinder all over length 10 cm. long, to fill the brass tube and pipe open at both end.


Cat. No.
ARYA 292



Torsion App

Cast iron feet. Two rods one used in it groove moving on ball bearing. Two brass scales graduated in single degree, mounted on pillar supported.


Cat. No.	Size
ARYA 298	½ metre
ARYA 298-A	1 metre



RS 182 - Viscosity app Stocks method with Borosil Glass Tube

RS 182-A Viscosity app stocks method w/o Borosil Glass Tube

Cat. No.	Specification
ARYA 299	with Borosil Glass Tube



Simple Pendulum: Iron

Cat. No.
ARYA 300



Inertia Table Moment

6" dia with a groove five semi circular masses which fit into groove and four different shapes of masses, Rectangular, Square, Circular and triangular.

Cat. No.


ARYA 301



Pendulum BOB Stand: Heavy sheet metal base (6"x4") with 18" chrome plated rod. Pendulum BOB hang on adjustable arm. BOB made of brass.

Cat. No.

ARYA 301



Melde's Apparatus

A Powerful fork which has a frequency of approximately 60 vibrational per second, made of Cast Iron Base.

Cat. No.

ARYA 302



Diffragating Spoon: Made thick wire & disc, Disc completed with rubber cork.



Cat. No.
ARYA 303

Rising table with capillary : Made of heavy cast iron base with adjustable levelling screw. Height adjustable platform. 18" chrome plated rod. with capillary tubes.




Cat. No.
ARYA 304

Slotted Weight with hook: These slotted weights are precisely turned from M.S. rods, carefully adjusted . These slotted weights are supplied in M.S. chrome plated.

Cat. No.	Weight Size
ARYA 307	5gms.
ARYA 307-A	10gms
ARYA 307-B	20gms
ARYA 307-C	50gms
ARYA 307-D	100gms
ARYA 307-E	200gms





Slotted Weight with hanger

These slotted weights are precisely turned from rods, carefully adjusted .

Brass Finish

Cat. No.	Weight Size
ARYA 305	5gm×5=25gms.
ARYA 305-A	5gm×10=50gms.
ARYA 305-B	10gms×5=50gms.
ARYA 305-C	10gm×10=100gms.
ARYA 305-D	20gms×5=100gms.
ARYA 305-E	20gms×10=200gms..
ARYA 305-F	50gms×5=250gms.
ARYA 305-G	50gms×10=500gms.
ARYA 305-H	100gms×5= 500gms.
ARYA 305-I	100gms×10=1kg.
ARYA 305-J	500gms×5=2.5Kg.
ARYA 305-K	1000gms×5=5Kg.

Mild Steel, Chrome Plated

Cat. No.	Weight Size
ARYA 306	5gm×5=25gms.
ARYA 306-A	5gm×10=50gms.
ARYA 306-B	10gms×5=50gms.
ARYA 306-C	10gm×10=100gms.
ARYA 306-D	20gms×5=100gms.
ARYA 306-E	20gms×10=200gms..
ARYA 306-F	50gms×5=250gms.
ARYA 306-G	50gms×10=500gms.
ARYA 306-H	100gms×5= 500gms.
ARYA 306-I	100gms×10=1kg.
ARYA 306-J	500gms×5=2.5Kg.
ARYA 306-K	1000gms×5=5Kg.

LABORATORY WATER TAP



90° Nozzle



Valve



45° Nozzle

Pannel mounted valve for fume hood :

Application: Water, Air, Nitrogen Vacuum, made of complete brass, Epoxy coated.
Water static pressure 14 bar.

Cat. No.	SPECIFICATION
ARYA 351	Valve
ARYA 351-A	45° Nozzel
ARYA 351-B	90° Nozzel

LABORATORY WATER TAP


Water Tap : 19" heavy brass made body chrome plated, Stainless Steel Pipe 304 grade

Cat. No.	SPECIFICATION
ARYA 352	ONE WAY
ARYA 352-A	TWO WAY
ARYA 352-B	THREE WAY




Laboratory Water Tap : Made of brass with S.S. Pipe, bottom size 60mm, PVC epoxy coated goose neck 360° swing. Maximum pressure 14 bar.

Cat. No.	SPECIFICATION
ARYA 353	ONE WAY



Laboratory Water Tap : Made of brass with S.S. Pipe, PVC epoxy coated goose neck 360° swing. Maximum pressure 14 bar. Ceramic head work 1/4 turn.

Cat. No.	SPECIFICATION
ARYA 354	THREE WAY





Laboratory Gas Tap : available in 90° & 180°

Made of complete brass, EPOXY Coated

Application: Water, Air, Nitrogen, Vacuum


Cat. No.	MODEL 180°
ARYA 355	One Way
ARYA 355-A	Two Way
ARYA 355-B	Three Way
	Four Way

Cat. No.	MODEL 90°
ARYA 356	Two Way
ARYA 356-A	Four Way

Glassware Drying Rack: Available in Stainless Steel & M.S. Powder Coated. Steel Frame work with rows of pegs and two hole for wall mounting. Economical Model.

Size : 700mm × 550mm

Cat. No.	MODEL
ARYA 357	Stainless Steel
ARYA 357-A	Mild Steel



Polypropylene Laboratory Sink:

Cat. No.	Size in mm.
ARYA 358	600×450×300
ARYA 358-A	560×355×245
ARYA 358-B	340×340×220



